



**AXELEN**

Est 1990

# Handrail

Available in length to fit panels with the width 1000 mm and 1500 mm. For other widths of panels, the handrail needs to be adjusted in length by being cut in place during assembly. Brackets for placement in keyholes are a standard default but if free placement is needed there is a separated article number.

The standard colour is RAL 9011 (only available in this color).



# Models

---

## ARTICLES / DESCRIPTION



**G2528-107-3**  
Handrail L=1070 mm, RAL 9011



**G2528-157-3**  
Handrail L=1570 mm, RAL 9011



**B00-059**  
Handrail fittings with selfdrilling screw, 1 KIT



**B00-060**  
Handrail fittings with rivet, 1 KIT



**G2529**  
Handrail inner corner (with support arm), RAL 9011



**G2530**  
Handrail outer corner, RAL 9011



**B00-103**  
Handrail end, RAL9011

## Related products

---



### X-RAIL FALL PROTECTION HEIGHT 1400 MM

#### Height 1400 mm with panel

Our X-Rail fall protection system can be used as an edge protection for mezzanine floors. The system is a modification of our X-Guard range and therefore the system can fill dual purposes, mezzanin...

14 articles



### X-RAIL FALL PROTECTION HEIGHT 1400 MM

#### Height 1400 mm without panel

Our X-Rail fall protection system can be used as an edge protection for mezzanine floors. The system is a modification of our X-Guard range and therefore the system can fill dual purposes, mezzanin...

1 articles



### X-RAIL FALL PROTECTION HEIGHT 2300 MM

#### Height 2300 mm with panel

Our X-Rail fall protection system can be used as an edge protection for mezzanine floors. The system is a modification of our X-Guard range and therefore the system can fill dual purposes, mezzanin...

25 articles



### X-RAIL FALL PROTECTION HEIGHT 2300 MM

#### Height 2300 mm without panel

Our X-Rail fall protection system can be used as an edge protection for mezzanine floors. The system is a modification of our X-Guard range and therefore the system can fill dual purposes, mezzanin...

1 articles